# Practitioner's Docket No. MP100-370P1RM

#### IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application: Kindly cancel claims 4, 5, and 7-24 and add new claims 25-42 as follows:

#### STATUS OF THE CLAIMS:

#### What is claimed is:

- 1. An isolated 47324 nucleic acid molecule selected from the group consisting of:
- a) a nucleic acid molecule comprising a nucleotide sequence which is at least 60% identical to the nucleotide sequence of SEQ ID NO:1, SEQ ID NO:3, or the nucleotide sequence of the DNA insert of the plasmid deposited with ATCC as Accession Number;
- b) a nucleic acid molecule comprising a fragment of at least 15 nucleotides of the nucleotide sequence of SEQ ID NO:1, SEQ ID NO:3, or the nucleotide sequence of the DNA insert of the plasmid deposited with ATCC as Accession Number \_\_\_\_\_;
- c) a nucleic acid molecule which encodes a polypeptide comprising the amino acid sequence of SEQ ID NO:2, or the amino acid sequence encoded by the eDNA insert of the plasmid deposited with the ATCC as Accession Number \_\_\_\_\_;
- d) a nucleic acid molecule which encodes a fragment of a polypeptide comprising the amino acid sequence of SEQ ID NO:2, or the amino acid sequence encoded by the cDNA insert of the plasmid deposited with the ATCC as Accession Number \_\_\_\_\_\_, wherein the fragment comprises at least 15 contiguous amino acids of SEQ ID NO:2, or the amino acid sequence encoded by the cDNA insert of the plasmid deposited with the ATCC as Accession Number \_\_\_\_\_\_;
- e) a nucleic acid molecule which encodes a naturally occurring allelic variant of a polypeptide comprising the amino acid sequence of SEQ ID NO:2, or the amino acid sequence encoded by the cDNA insert of the plasmid deposited with the ATCC as Accession Number wherein the nucleic acid molecule hybridizes to a nucleic acid molecule comprising SEQ ID NO:1, SEQ ID NO:3, or a complement thereof, under stringent conditions;
- f) a nucleic acid molecule comprising the nucleotide sequence of SEQ ID NO:1, SEQ ID NO:3, or the nucleotide sequence of the DNA insert of the plasmid deposited with ATCC as Accession Number——; and

# Practitioner's Docket No. MP100-370P1RM

g)	a nucleic acid molecule which encodes a polypeptide comprising the amino acid
sequence of SEQ ID NO:2, or the amino acid sequence encoded by the cDNA insert of the	
plasmid deposited with the ATCC as Accession Number	

- 2. The isolated nucleic acid molecule of claim 1, which is the nucleotide sequence SEQ ID NO:1.
  - 3. A host cell which contains the nucleic acid molecule of claim 1.

### 4 Cancelled herein

### 5 Cancelled herein

- 6. A method for producing a polypeptide selected from the group consisting of:
- a) a polypeptide comprising the amino acid sequence of SEQ ID NO:2, or the amino acid sequence encoded by the oDNA insert of the plasmid deposited with the ATCC as

  Accession Number ;
- b) a polypeptide comprising a fragment of the amino acid sequence of SEQ ID NO:2, or the amino acid sequence encoded by the cDNA insert of the plasmid deposited with the ATCC as Accession Number \_\_\_\_\_, wherein the fragment comprises at least 15 contiguous amino acids of SEQ ID NO:2, or the amino acid sequence encoded by the cDNA insert of the plasmid deposited with the ATCC as Accession Number \_\_\_\_\_;
- a naturally occurring allelic variant of a polypeptide comprising the amino acid sequence of SEQ ID NO:2, or the amino acid sequence encoded by the eDNA insert of the plasmid deposited with the ATCC as Accession Number \_\_\_\_\_, wherein the polypeptide is encoded by a nucleic acid molecule which hybridizes to a nucleic acid molecule comprising SEQ ID NO:1 or SEQ ID NO:3; and
- d) the amino acid sequence of SEQ ID NO:2; comprising culturing the host cell of claim 3 under conditions in which the nucleic acid molecule is expressed.

#### 7-24 Cancelled herein

--- }

## Practitioner's Docket No. MP100-370P1RM

- 25 (New) The isolated nucleic acid molecule of claim 1 wherein the nucleic acid comprises the nucleotide sequence of SEQ ID NO: 1, SEQ ID NO: 3; or a nucleotide sequence complementary to the nucleotide sequence of SEQ ID NO: 1 or SEQ ID NO:3.
- 26. (New) The nucleic acid of claim wherein the nucleic acid comprises a nucleotide sequence encoding a polypeptide comprising the amino acid sequence of SEQ ID NO: 2 or a nucleotide sequence complementary to a nucleotide sequence encoding a polypeptide comprising the amino acid sequence of SEQ ID NO: 2.
- 27. (New) An isolated nucleic acid molecule comprising a nucleotide sequence encoding a fusion polypeptide comprising the amino acid sequence of SEQ ID NO: 2 and a heterologous polypeptide.
- 28. (New) An isolated nucleic acid molecule of claim 1, further comprising vector nucleic acid sequences.
- 29. (New) An isolated nucleic acid molecule of claim 25, further comprising vector nucleic acid sequences.
- 30. (New) An isolated nucleic acid molecule of claim 26, further comprising vector nucleic acid sequences.
- 31. (New) An isolated nucleic acid molecule of claim 27, further comprising vector nucleic acid sequences.
- 32. (New) A host cell containing the nucleic acid molecule claim 25.
- 33. (New) A host cell containing a nucleic acid molecule of claim 28.
- 34. (New) A host cell containing a nucleic acid molecule of claim 29.
- 35. (New) A host cell containing a nucleic acid molecule of claim 30.

## Practitioner's Docket No. MP100-370P1RM

- 36. (New) A host cell containing a nucleic acid molecule of claim 31.
- 37. (New) The host cell of claim 32 which is a mammalian cell.
- 38. (New) The host cell of claim 33 which is a mammalian cell.
- 39. (New) The host cell of claim 34 which is a mammalian cell.
- 40. (New) The host cell of claim 3 which is a mammalian cell.
- 41 (New) A method for producing a polypeptide comprising the amino acid sequence of SEQ ID NO: 2 comprising culturing the host cell of claim 35 under conditions in which the nucleic acid molecule is expressed.
- 42 (New) A method for producing a polypeptide comprising the amino acid sequence of SEQ ID NO: 2 and a heterologous polypeptide comprising culturing the host cell of claim 36 under conditions in which the nucleic acid molecule is expressed.